

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, CS COVSHT, 1/21/2022 12:57:38 PM

ARCHITECTURAL SYMBOL LEGEND

102

ROOM NUMBER

A

WINDOW NUMBER - SEE WINDOW ELEVATIONS.

1

PARTITION TYPE NUMBER - SEE DETAILS

1

DOOR NUMBER: SEE DOOR SCHEDULE  
REFER TO ROOM NUMBER ON SWING  
SIDE OF DOOR.

DETAIL NUMBER  
SHEET NUMBER

1

A1

DETAIL OR SECTION INDICATOR

ELEVATION NUMBER  
SHEET NUMBER

1

A1

ELEVATION INDICATOR

REVISION NUMBER - SEE  
UPPER RIGHT SHEET  
CORNER FOR DATE.

1

→

REVISION INDICATOR

ABBREVIATIONS

C/C

CENTERLINE  
CENTER TO CENTER  
AT THE RATE OF

#

APPROX.  
A.F.F.  
C.J.  
CL.  
CLG.  
CONC.  
CONT.  
COORD.  
D.  
DIA.  
EL.  
ELEV  
EXT.  
FAB.  
FIN.  
F.O.S.  
FLR.  
GYP. BD.  
H.  
HD.  
HR.  
HT.  
INT.  
M.O.  
MAX.  
MFOR.  
MIN.  
N.I.C.  
O.C  
O.F.C.I.  
O.F.I.  
PLN.  
R.  
REBAR  
REF.  
REFL.  
RND.  
R.O.  
THRU  
TYP.  
U.O.N.  
W.  
W/  
WDW.  
W.W.M.  
W.W.F.

CENTERLINE  
CENTER TO CENTER  
AT THE RATE OF  
NUMBER  
APPROXIMATE, APPROXIMATELY  
ABOVE FINISH FLOOR  
CONTROL JOINT  
CLEAR  
CEILING  
CONCRETE  
CONTINUOUS  
COORDINATE  
DEEP  
DIAMETER  
ELEVATION (HGT. REF. SURVEY DATUM)  
ELEVATION (VERTICAL BUILDING VIEW)  
EXTERIOR  
FABRICATE, FABRICATED  
FINISH, FINISHED  
FACE OF STUDS  
FLOOR  
GYPSUM BOARD  
HIGH  
HEAD  
HOUR  
HEIGHT  
INTERIOR  
MASONRY OPENING  
MAXIMUM  
MANUFACTURER  
MINIMUM  
NOT IN CONTRACT  
ON CENTER  
OWNER FURNISHED, CONTRACTOR INSTALLED  
OWNER FURNISHED AND INSTALLED  
PLAN  
RADIUS  
REINFORCING BAR  
REFERENCE  
REFLECTED  
ROUND  
ROUGH OPENING  
THROUGH  
TYPICAL  
UNLESS OTHERWISE NOTED  
WIDE  
WITH  
WINDOW  
WELDED WIRE MESH  
WELDED WIRE FABRIC

APPLICABLE CODES:

- 2018 International Existing Building Code
- 2018 International Plumbing Code
- 2018 International Mechanical Code
- 2018 International Fire Code
- 2022 National Electrical Code
- 2017 ANSI 117.1 Accessibility Code
- 2010 ADA Standards for Accessible Design
- 2018 International Energy Conservation Code

NOTE: DIMENSIONS SHOWN WERE TAKEN FROM ORIGINAL CONSTRUCTION DOCUMENTS. FIELD MEASURE AND VERIFY ALL CRITICAL DIMENSIONS ON SITE.

D R A W I N G I N D E X

- CS

COVER SHEET
- A1

EXISTING FLOOR PLAN
- A2

DEMOLITION FLOOR PLAN
- A3

NEW FLOOR PLAN
- A4

NEW FURNISHINGS PLAN
- A5

REFLECTED CEILING / LIGHTING PLAN
- A6

CASEWORK DETAILS
- A7

FINISH & DOOR SCHEDULES
- A8

POWER LAYOUT

9 TOTAL SHEETS

BID DOCUMENTS

PROJECT SCOPE OF WORK:

GENERAL CONTRACTOR TO INCLUDE ALL WORK SHOWN EXCEPT:

1. INTERIOR DEMOLITION BY OWNER (LIMITED AMOUNT BY G.C.)

2. HVAC MODIFICATIONS BY OWNER

3. ELECTRICAL POWER AND LIGHTING BY OWNER

WORK AREA IS 1705 S.F. FLOOR AREA

BUILDING USE

OFFICE BUILDING

Project Name and Address:

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124

Drawing scale indicated is accurate on 24"x36" sheets only

REVISIONS

BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC

STATE OF ALABAMA

No. 1933

Stephen J. Coker

Birmingham,  
Alabama

REGISTERED ARCHITECT

Not Valid for Construction  
without Registration Seal

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124

△ ▢ ⊞ □  
▣ ▤ ▥ ▦  
▧ ▨ ▩ ▪

Stephen  
Coker  
Architect  
LLC

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail:  
steve@cokerarch.com

DRAWING DATE 1-24-2022

DRAWN BY SJC


PROJECT NO. 211116

SHEET NO.

CS

1 OF 9 SHEETS

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A1 EX FLR PLN, 1/21/2022 12:57:43 PM



REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC

STATE OF ALABAMA

No. 1933

Stephen J. Coker

Birmingham, Alabama

REGISTERED ARCHITECT

Not Valid for Construction  
without Registration Seal

**Shelby County Services Building**

**Interior Renovations Project**

**1123 County Services Drive**

**Pelham, Alabama 35124**

△ ▢ ◻ ◼

□ ▢ ◻ ◼

▽ ▢ ◻ ◼

**Stephen Coker Architect LLC**

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail: [steve@cokerarch.com](mailto:steve@cokerarch.com)


DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.

**A1**

2 OF 9 SHEETS

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A2 DEMO FLR PLN, 1/21/2022 12:57:48 PM



REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC

STATE OF ALABAMA

No. 1933

Stephen J. Coker

Birmingham, Alabama

REGISTERED ARCHITECT

Not Valid for Construction  
without Registration Seal

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124

△ ▢ ◻ ◼  
□ ▢ ◻ ◼  
▽ ▢ ◻ ◼

**Stephen Coker Architect LLC**

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail: [steve@cokerarch.com](mailto:steve@cokerarch.com)


DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.

**A2**

3 OF 9 SHEETS

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A3 NEW FLR PLN, 1/21/2022 12:57:53 PM



REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC

STATE OF ALABAMA  
No. 1933  
Stephen J. Coker  
Birmingham, Alabama  
REGISTERED ARCHITECT

Not Valid for Construction  
without Registration Seal

**Shelby County Services Building**  
**Interior Renovations Project**  
**1123 County Services Drive**  
**Pelham, Alabama 35124**


△ ▢ ◻ ◼  
□ ▢ ▣ ▤  
▥ ▦ ▧ ▨

**Stephen Coker Architect LLC**  
1000 Glen View Road  
Birmingham, Alabama 35222  
Phone 205/595-0021  
E-mail: steve@cokerarch.com

DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.  
**A3**  
4 OF 9 SHEETS

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A4 NEW FURN PLN, 1/21/2022 12:57:58 PM



REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC

STATE OF ALABAMA

No. 1933

Stephen J. Coker

Birmingham, Alabama

REGISTERED ARCHITECT

Not Valid for Construction  
without Registration Seal

**Shelby County Services Building**  
**Interior Renovations Project**  
**1123 County Services Drive**  
**Pelham, Alabama 35124**

△ ▢ ⊞ ⊞  
□ ▢ ⊞ ⊞  
▽ ▢ ⊞ ⊞

**Stephen Coker Architect LLC**

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail:  
steve@cokerarch.com

DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.

**A4**

5 OF 9 SHEETS

C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A5 CLGPLN, 1/21/2022 12:58:03 PM

- EXISTING PARTITIONS – GYPSUM BOARD ON METAL STUDS
- EXISTING MASONRY WALLS
- NEW PARTITIONS – 5/8" GYPSUM BOARD BOTH SIDES OF 3 5/8"-20 GA. @ 24" C/C METAL STUDS WITH SOUND INSULATION

RE-USE 3'-0" X 7'-0" SOLID CORE WOOD DOORS IN HOLLOW METAL FRAMES. NO LOCKS ALONG EXIT PATH.

WORK AREAS SHOWN DOTTED  
TOTAL 1705 S.F. FLOOR AREA

FLOOR AND WALL FINISHES


24X24 ACOUSTIC TILE CEILING  
1" SUSPENDED STEEL GRID  
MATCH EXISTING ACOUSTIC PANELS

24X48 LED LIGHT PANEL  
EMERGENCY BACKUP WHERE NOTED EM  
NIGHT LIGHT WHERE NOTED NL

HVAC AIR DIFFUSERS

RETURN AIR GRILLES

EXIT LIGHT WITH EMERGENCY BACKUP




REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC



Not Valid for Construction  
without Registration Seal

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124



Stephen  
Coker  
Architect  
LLC

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail:  
steve@cokerarch.com


DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.	A5
6	OF 9 SHEETS






C:\Users\steve\Desktop\SHELBY COUNTY-ALEA.dwg, A7 SCH, 1/21/2022 12:58:13 PM



COUNTERTOP PLAN BASE PLAN


PL-1 FACE PANELS  
PL-2 WORK COUNTERS



END ELEVATION SECTION

TESTING STATIONS


CASEWORK DETAILS  
scale: 1/2" = 1'-0"




COUNTER FINISHES DETAILS  
scale: 1 1/2" = 1'-0"

DOOR SCHEDULE														
ROOM	MARK	SWING	EXPOSURE	ELEV	WIDTH	HEIGHT	THK.	MATERIAL	TYPE	FRAME	LITE	RATING	HARDWARE	REMARKS
101 VESTIBULE	1	RH	INTERIOR	1	3'-0"	7'-0"	1 3/4"	ALUM & GLASS	ALUM. STOREFRONT	STOREFRONT SASH	TEMP. GLASS	N/A	PUSH/PULL, CLOSER	NEW DOOR AND STOREFRONT
106 I.T. CLOSET	R	RH	INTERIOR	2	3'-0"	7'-0"	1 3/4"	WOOD	FLUSH PANEL SOLID CORE	K-D HOLLOW METAL	N/A	N/A	OFFICE LOCKSET	RELOCATE AND REUSE DOOR, FRAME, LOCKSET
107 OFFICE	R	LH	INTERIOR	2	3'-0"	7'-0"	1 3/4"	WOOD	FLUSH PANEL SOLID CORE	K-D HOLLOW METAL	N/A	N/A	*CONTROLLED ACCESS, CLOSER	RELOCATE AND REUSE DOOR, FRAME, LOCKSET, ADD CLOSER
108 EXAMINERS	R	RH	INTERIOR	2	3'-0"	7'-0"	1 3/4"	WOOD	FLUSH PANEL SOLID CORE	K-D HOLLOW METAL	N/A	N/A	*CONTROLLED ACCESS, CLOSER	RELOCATE AND REUSE DOOR, FRAME, LOCKSET, ADD CLOSER

\*CONTROLLED ACCESS HARDWARE F&B BY OWNER



CEILING SOFFIT DETAILS  
scale: 1/2" = 1'-0"



DOOR ELEVATIONS  
scale: 3/8" = 1'-0"

SOLID CORE WOOD DOORS, H.M. FRAMES, AND OPERATING HARDWARE REMOVED IN DEMO: 6 RIGHT-HAND DOORS, 5 LEFT-HAND DOORS

RELOCATED WOOD DOORS AND FRAMES REQD THIS PROJECT: 2 RIGHT-HAND DOORS., 1 LEFT-HAND DOOR

RETURN REMAINING WOOD DOORS TO OWNER AS DIRECTED.

INTERIOR FINISH SCHEDULE						
ROOM	FLOOR	BASE	WALLS	DOORS	DOOR FRAME	CEILING
101 VESTIBULE	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	VINYL WALL FABRIC	CLEAR ANODIZED ALUMINUM & GLASS	CLEAR ANODIZED ALUMINUM STOREFRONT	8'-10" ACOUSTIC TILE CEILING PANELS
102 WAITING ROOM 1	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	VINYL WALL FABRIC			8'-10" ACOUSTIC TILE CEILING PANELS
103 TESTING AREA	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	VINYL WALL FABRIC			8'-10" ACOUSTIC TILE CEILING PANELS
104 HALLWAY	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	VINYL WALL FABRIC	STAINED AND SEALED TO MATCH EXISTING	SEMI-GLOSS LATEX ENAMEL PAINT SYSTEM	8'-10" ACOUSTIC TILE CEILING PANELS
105 WAITING ROOM 2	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	VINYL WALL FABRIC - GYP. BD. PAINT - EXPOSED CONC. BLOCK			9'-0" ACOUSTIC TILE CEILING PANELS
106 I.T. ROOM	VCT TO MATCH EXISTING	4" RUBBER COVE BASE	EGGSHELL LATEX PAINT SYSTEM	STAINED AND SEALED TO MATCH EXISTING	SEMI-GLOSS LATEX ENAMEL PAINT SYSTEM	8'-10" ACOUSTIC TILE CEILING PANELS
107 SUPERVISORS OFFICE	CARPET TILE	4" RUBBER COVE BASE	EGGSHELL LATEX PAINT SYSTEM	STAINED AND SEALED TO MATCH EXISTING	SEMI-GLOSS LATEX ENAMEL PAINT SYSTEM	8'-10" ACOUSTIC TILE CEILING PANELS
108 ALEA EXAMINERS	CARPET TILE	4" RUBBER COVE BASE	VINYL WALL FABRIC	STAINED AND SEALED TO MATCH EXISTING	SEMI-GLOSS LATEX ENAMEL PAINT SYSTEM	8'-10" ACOUSTIC TILE CEILING PANELS V.W.F. ON GYP. BD. SOFFIT

CARPET TILES: SHAW 24X24 VENTURE CAPITAL 89708 "TALK IS CHEAP" CARPET TILE MATERIAL ONLY FURNISHED BY OWNER

RUBBER BASE: 4" COVE ROPPE "FAWN"

VINYL COMPOSITION TILE: MATCH EXISTING VCT

ACOUSTICAL TILE: MATCH EXISTING 2X2 NON-TEGULAR TILE IN TYPE, PATTERN, COLOR, AND THICKNESS

VINYL WALL FABRIC: MDC MODERN INDUSTRY GUNMETAL 3063MI / 4131

WALL PAINT: SW 6073 "PERFECT GREIGE" EGGSHELL LATEX

DOOR FRAMES: SW 9174 "MOTH WING" SEMI-GLOSS

CABINETRY PLASTIC LAMINATE 1: LAMINART 3124-E CLASSIC CHERRY, VELLUM FINISH, VERTICAL GRAIN

CABINETRY PLASTIC LAMINATE 2: WILSONART D96-60 "SHADOW", MATTE FINISH

SOLID SURFACE SS-1: DURASEIN DM5015 EVENTIDE, 1/2"

FACE CHANNEL DETAIL: 3/4" X 3/4" X 1/2" ID ALUMINUM CHANNEL, CLEAR SATIN

ACRYLIC PRIVACY SCREEN: LUMICOR LUMINOUS GRAPHITE, LUMICLEAR FINISH, 1" THICK X 10" WIDE X 52" HIGH

WINDOW BLACKOUT SHADES: 4 REQD. SWF CONTRACT R16 MANUAL BLACKOUT ROLLER SHADES W/ FASCIA

FOR CABINETS, LOW WALLS

FOR COUNTERTOPS

FOR TRANSACTION COUNTER

FOR P.L. DETAIL WHERE SHOWN

scale is accurate on 24"x36" sheets only


REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC



Not Valid for Construction  
without Registration Seal

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124



Stephen  
Coker  
Architect  
LLC

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021


E-mail:  
steve@cokerarch.com

DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.	A7
8	OF 9 SHEETS



C:\Users\steve\Desktop\SHELBY COUNTY-ALEA\SHELBY CTY -ALEA.dwg, A8 PWRPLN1, 1/21/2022 12:58:18 PM



- EXISTING PARTITIONS - GYPSUM BOARD ON METAL STUDS
- EXISTING MASONRY WALLS
- NEW PARTITIONS - 5/8" GYPSUM BOARD BOTH SIDES OF 3 5/8"-20 GA. @ 24" C/C METAL STUDS WITH SOUND INSULATION
- RE-USE 3'-0" X 7'-0" SOLID CORE WOOD DOORS IN HOLLOW METAL FRAMES. NO LOCKS ALONG EXIT PATH.
- WORK AREAS SHOWN DOTTED TOTAL 1705 S.F. FLOOR AREA
- FLOOR AND WALL FINISHES

- ⊕ DUPLEX RECEPTACLE OUTLET @ 15" AFF.
- ▷ COMPUTER NETWORK OUTLET (CAT 5) @ 15" AFF.
- ⊗ EXIT LIGHT W/ BATTERY BACKUP
- \$ LIGHT SWITCH
- D.C. DEDICATED 20A CIRCUIT


REVISIONS	BY

DRAWINGS COPYRIGHT © 2022  
ALL RIGHTS RESERVED  
Stephen Coker Architect LLC



Not Valid for Construction  
without Registration Seal

Shelby County Services Building  
Interior Renovations Project  
1123 County Services Drive  
Pelham, Alabama 35124



Stephen  
Coker  
Architect  
LLC

1000 Glen View Road  
Birmingham, Alabama 35222

Phone 205/595-0021

E-mail:  
steve@cokerarch.com

DRAWING DATE	1-24-2022
DRAWN BY	SJC
PROJECT NO.	211116

SHEET NO.	A8
9 OF 9 SHEETS	