

Shelby County Highway Department

Bid Package of Proposed Project:

SCP 59-967-24



March 25, 2026

Letting Date: April 16, 2026



SHELBY COUNTY
HIGHWAY DEPARTMENT
506 HIGHWAY 70
COLUMBIANA, ALABAMA 35051
(205) 669-3880
www.ShelbyAL.com

March 25, 2026

MEMORANDUM

TO: Prospective Bidders

FROM: Ethan J. Hand, P.E.
Chief Engineer

The following shall be made a part of this bid proposal as if it were included in the original proposal.

PRE-BID MEETING

All prospective bidders shall attend a mandatory Pre-Bid meeting scheduled for Thursday, April 9, 2026 at 10:00 AM at the office of the Shelby County Engineer located at 506 Highway 70, Columbiana, AL 35051.

INSURANCE AND LICENSING REQUIREMENTS

The Shelby County Commission shall not execute this contract until the successful bidder has supplied in a timely manner, as outlined in the attached Contract Specifications:

- A. A Section 84 State/County privilege license and all other required license(s).
- B. Proof of Insurance containing additional coverage for the Shelby County Commission, its successors, or assigns.

IMMIGRATION COMPLIANCE REQUIREMENTS

The successful bidder shall comply with current Shelby County vendor requirements for Immigration Law Compliance. This includes but is not limited to the E-Verify MOU (Memorandum of Understanding). Required documents and further information are on the Shelby County website: www.shelbyal.com.

Sales Tax Exemption

The purchase of construction materials used on this project pertains to the construction of highways, roads, or bridge projects. Based upon guidance from the Alabama Department of Revenue, the purchase of construction materials for this project are exempt from sales tax and the project should be bid as such. It is the responsibility of the Contractor to comply with all applicable state laws concerning sales tax. It is also the responsibility of the Contractor to prepare and file tax-exempt certifications as required by the Alabama Department of Revenue.

DISQUALIFICATION OF BIDS

Bids may be disqualified before awarding of the Contract for any of the following:

- A. Failure to mark envelope as required;
- B. Failure to sign or notarize the bid document;
- C. Failure to include requested information for other details of the bid; or,
- D. Failure to include bid bond.

METHOD OF AWARD

The award will be made to the lowest responsible bidder meeting specifications. It is not the policy of the Shelby County Commission to purchase on the basis of low bid only. Quality, conformity with specifications, purpose for which required, terms of delivery, and past service and experience are among the factors that may be considered in determining who the responsible bidders are.

The Shelby County Commission reserves the right to award this Contract for each item if in the best interest of the Shelby County Commission. Upon awarding of this Contract and bid, the Shelby County Commission receives the sole right to end said Contract at its sole discretion.

LEGAL NOTICE
NOTICE TO CONTRACTORS
PROJECT NO. SCP 59-967-24

SEALED BIDS WILL BE RECEIVED BY THE SHELBY COUNTY COMMISSION AT THE OFFICE OF THE COUNTY MANAGER, 200 WEST COLLEGE STREET, COLUMBIANA, ALABAMA 35051 UNTIL 2:00 PM THURSDAY, APRIL 16, 2026 AND AT THAT TIME PUBLICLY OPENED FOR CONSTRUCTING THE FOLLOWING PROJECT:

MORGAN ROAD (CR-52) WIDENING IMPROVEMENTS AT SOUTH SHADES CREST ROAD

THE PRINCIPAL ITEMS OF WORK ARE AS FOLLOWS:

Clearing & Grubbing (Approximately 1 Acre), 201A-002
Unclassified Excavation, 210A-000
Borrow Excavation (A-4 or Better), 210D-011
Planing Existing Pavement, 408A-052
Superpave Bituminous Concrete Wearing Surface Layer, 424A-360
Superpave Bituminous Concrete Binder Layers, 424B-651, 424B-681
Superpave Bituminous Concrete Base Layer, 424C-360
36" Span x 23" Rise Side Drain Pipe (Class 3 R.C.), 535B-093
Combination Curb & Gutter, Type C (Modified), 623C-003
Various Erosion Control Items
Various Traffic Stripe, Markings, Legends, and Pavement Markers
Various Traffic Control Items

THE ENTIRE PROJECT SHALL BE COMPLETED IN **SIXTY (60) WORKING DAYS**.

A MANDATORY PRE-BID MEETING WILL BE HELD AT 2:00 PM ON THURSDAY, APRIL 9, 2026 AT THE OFFICE OF THE SHELBY COUNTY ENGINEER LOCATED AT 506 HIGHWAY 70, COLUMBIANA, ALABAMA 35051. REQUESTS FOR INFORMATION SHALL BE ACCEPTED FROM BIDDERS UNTIL TUESDAY, APRIL 14, 2026 AT 2:00 PM. RESPONSES CAN BE PROVIDED UNTIL WEDNESDAY APRIL 15, 2026 AT 2:00 PM. BIDDERS WITH QUESTIONS MAY SUBMIT THEM VIA EMAIL, TELEPHONE, OR IN PERSON AT THE OFFICE OF THE SHELBY COUNTY ENGINEER.

BID DOCUMENTS (INCLUDING PLANS AND PROPOSALS) WILL BE AVAILABLE ON THE SHELBY COUNTY E-BID PORTAL BEGINNING AT 10:00 AM WEDNESDAY, MARCH 25, 2026.

THE RIGHT TO REJECT ANY OR ALL BIDS IS RESERVED.

PROPOSAL FOR
MORGAN ROAD (CR-52) WIDENING IMPROVEMENTS AT SOUTH SHADES CREST
ROAD
PROJECT NUMBER SCP 59-967-24

DATE _____

PROPOSAL

LICENSE
NUMBER _____ OF _____

For Morgan Road (County Road 52) widening improvements near South Shades Crest Road in both Shelby County and Jefferson County, State of Alabama.

The plans are composed of drawings identified as follows:

SHELBY COUNTY PROJECT NO. SCP 59-967-24

The specifications are hereto attached.

TO THE SHELBY COUNTY ENGINEER:

SIR: The following proposal is made on behalf of the undersigned and no others. Evidence of authority to submit the proposal is herewith furnished.

The undersigned has carefully examined the plans for this project, the Alabama Department of Transportation Standard Specifications for Highway Construction, 2022 Edition, including the special provisions hereto attached, and has also personally examined the work site. On the basis of the specifications and plans, the undersigned proposes to furnish all necessary machinery, tools, apparatus and other means of construction, and do all the work and furnish all material in the manner specified.

The undersigned further agrees to complete the entire project in sixty (60) working days.

The undersigned understands that the quantities below are approximate only and are subject to either increase or decrease and hereby proposes to perform any increased or decreased quantities of work in accordance with said Specifications. **The undersigned further understands and specifically agrees that in making this proposal, in case of error in the extension of prices in the bid, the unit price will govern.**

Section B: CONTRACTOR'S CERTIFICATION

The Contractor proposes to perform all "Force Account or Extra Work" that may be required on the basis provided in the Specification hereto attached, and to give such work personal attention in order to see that it is economically performed.

The Contractor further proposes to execute the Contract Agreement in a form to be attached as soon as the work is awarded to the Contractor and to begin and complete the work within the respective time limit provided for in the Specifications hereto attached.

The Contractor also proposes to furnish a Performance Bond, acceptable to the County, in an amount equal to the total amount of the Contract. This bond shall serve not only to guarantee the completion of the work but also guarantee the excellence of both workmanship and materials until the work is finally accepted.

The Contractor encloses a certified check or bid bond for the lesser of 5 percent (5%) or \$10,000. The contractor hereby agrees that in case of failure to execute a Contract and furnish performance bonds within ten (10) days after notice of award, the awarding authority shall retain from the proposal guaranty, if a certified check, or recover from the principal and/ or the sureties, if the guaranty is a bid bond, the difference between the amount of the Contract as awarded and the amount of the proposal of the next lowest acceptable bidder. If no other bids are received, the full amount of the proposal guaranty shall be so retained and / or recovered as Liquidated Damages for such default. It is understood that in case the work is not awarded to the Contractor, the proposal guaranty, if a certified check, will be returned as provided in the Alabama Department of Transportation Standard Specifications for Highway Construction, 2022 Edition.

COLLUSION

It is further certified that neither the person, firm, partnership or corporation submitting this bid, nor any of their officers, have directly or indirectly entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with this contract.

BEST MANAGEMENT PRACTICES PLAN

When a BMP is not required on a project, the following certification shall not apply. When a BMP is required, it will be covered by a Special Provision or Supplemental Specification and included in the proposal, and the following certification shall apply and the contractor shall mark any documents he proposes to use other than #1 and #2:

I certify that I am aware of the Best Management Practices for the prevention and minimization of nonpoint sources of pollution in storm water runoff contained and described in documents #1 and #2, and other documents as marked below. I certify that all appropriate pollution abatement / prevention facilities, and structural and nonstructural BMPs, as described in these documents, or County approved equivalent BMPs will be implemented and maintained as needed at the facility in accordance with good engineering practices and ADEM regulations under the guidance of a qualified pollution prevention / control professional. I understand that full implementation and regular maintenance of the BMPs will be requirements for coverage under the general permit. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment for knowing violations. I understand that, at the signing of the bid proposal, I become a co-permittee with the County if awarded the Contract.

1. Alabama Nonpoint Source Management Program Document, as amended, prepared by ADEM, Water Division - Mining and Nonpoint Source Section, in accordance with Section 319 of the Federal Clean Water Act, as amended.
2. EPA Stormwater Pollution Prevention for Construction Activities, Office of Wastewater Enforcement and Compliance, U.S. Environmental Protection Agency, Washington, D.C. 20460, as amended.

____ Best Management Practices Plan - Magnolia Pipeline, Basin Pipeline Corporation, 2101 Sixth Avenue North, Birmingham, AL 35203.

____ Best Management Practices for Nonpoint Source Runoff Control, Mobile & Baldwin Counties, Alabama, South Alabama Regional Planning Commission, January 1989.

____ Best Management Practices for Controlling Sediment and Erosion from Construction Activities, Birmingham Regional Planning Commission, August 1980.

____ Best Management Practices for Agricultural Nonpoint Source Control, Volume III- Sediment, North Carolina Agricultural Extension Service, Biological and Agricultural Engineering Department, North Carolina State University, August 1982.

I further certify that I am the proper authorized individual or corporate official, as applicable, to make this certification that the above is true and correct and that I am the same person executing the Bid Bond on the following pages; and that I recognize, by signing this certification, I am also signing the contract proposal on behalf of the contractor in whose name the proposal is made, whether individual, partnership or corporation as might be applicable.

NOTE: PROVIDED THE BID BOND ON THE FOLLOWING PAGES IS PROPERLY EXECUTED IN THE CONTRACTOR'S NAME, SIGNED BY THE PROPER OFFICER OF THE CONTRACTOR CORPORATION (OR INDIVIDUAL OR PARTNER, WHEN NOT A CORPORATION), THE PERSON EXECUTING THE BID BOND MAY MAKE THE FOREGOING CERTIFICATIONS BY SIGNING BEFORE A NOTARY PUBLIC AFTER BEING SWORN. THE CERTIFICATIONS MUST BE PROPERLY SWORN TO, SIGNED AND NOTARIZED BELOW.

Signature of Contractor: If contractor is **INDIVIDUAL**, signature of individual is required; If contractor is a **CORPORATION**, signature of proper corporate officer is required; if contractor is a **PARTNERSHIP**, signature of a partner is required; if contractor is **JOINT VENTURE**, appropriate signatures of all contractors are required.

Legal Name of Contractor:

(Partnership, Joint Venture, Corporation or Individual)

By: _____
(Signature of Officer or Individual, as applicable, as signing Bid Bond)

By: _____
IF JOINT VENTURE (Signature of Officers or Individual, as applicable, as signing Bid Bond)

The foregoing certifications are sworn to and subscribed before me on this _____ day of _____, 2026.

NOTARY PUBLIC

PROPOSAL WILL NOT BE ACCEPTED UNLESS THIS FORM IS USED AND SIGNED. FAILURE TO SUBMIT THIS SWORN STATEMENT, AS PART OF THE BID PACKAGE WILL BE CONSIDERED A NON-RESPONSIVE BID.

PROJECT NOTES

1. The successful bidder, upon notification by the County, shall have ten (10) days to execute a contract pertaining to the scope of work as identified within this bid proposal package. Failure to do so shall result in forfeiture of the bidder's bond subject to stipulations as provided herein.
2. After the contract is signed and executed by both parties, the Shelby County Highway Department shall issue a "Notice to Proceed" to the successful bidder. Upon failure of the Contractor to complete the contract in sixty (60) working days, the Contractor shall be assessed liquidated damages per Section 108.11 for Working Day Contracts. A monthly time statement will not be provided. If for any reason the contractor feels that they have been delayed by any actions on the County's part, or for something he or she feels is beyond their control, the contractor shall provide the County in writing of a request to extend time within fifteen days of said delay.
3. The contractor shall use any means necessary as required by his Best Management Practices plan or as specified by the engineer. Pay items for this will be added if they become necessary during construction.
4. **IT SHALL BE MANDATORY THAT ALL PROSPECTIVE BIDDERS ATTEND THE PRE-BID MEETING SCHEDULED FOR THURSDAY, APRIL 9, 2026 AT 10:00 A.M. AT THE OFFICE OF THE COUNTY ENGINEER.**
5. The contractor shall provide to the County, facilities at its asphalt plants to allow for County personnel or County's consultant to conduct materials tests. These tests shall be conducted at the discretion of the project engineer.
6. Reclaimed Asphalt Shingles (RAS) will not be considered for use on this project.
7. Shelby County reserves the right, in its sole discretion, to waive compliance with any non-material bid specification which it deems to be of no material consequence to the project.
8. There will be no weekend work allowed unless specifically set up in the project or specifically and directly approved by the County Engineer. Any work done on the weekend without this specific permission will not be paid for.
9. There will be no lane closures allowed between the hours of 7:00am-9:00am and 4:00pm-6:00pm. Shelby County reserves the right to further restrict working hours at the sole discretion of the County Engineer or his authorized designee.
10. If at any time the County Engineer or his designee determines that Traffic Control is inadequate to handle ongoing operations, he or she will order that work be stopped until the issue is resolved to his or her satisfaction.

SPECIAL PROVISIONS

SCP 59-967-24

SHELBY COUNTY, ALABAMA

The following clauses are a part of these specifications and have been prepared subsequent to the foregoing. In case of conflict, the following are to take precedence:

Cross Slope on HMA Pavements (non-NHS)	22GA0005
Delay Begin Work Date (County Projects)	22GA0006
Mobilization	22GA0010
Roadway Signs	22GA0013
Moving and Covering Traffic Control Signs	22GA0015
Liquidated Damages	22LD0001

COLLUSION AFFIDAVIT

STATE OF ALABAMA
COUNTY OF SHELBY

PROJECT NO. SCP-59-967-24

LETTING DATE: April 16, 2026

I certify that _____ (Name of Contracting Firm) has not, either directly or indirectly entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the Contract.

Signed: _____
(Name of Contracting Firm)

By: _____

Sworn to and subscribed before me this _____ day of _____, 2026.

Notary Public

(Note: Proposals will not be accepted unless this form of certificate is used. This certificate must be submitted in duplicate and two original copies are included for your convenience. Please leave attached in your bidding form.)

Failure to execute this Affidavit shall be cause for rejection of this Bid.

Shelby County Highway Department Project Bid Form

SCP 59-967-24

MORGAN ROAD (COUNTY ROAD 52) WIDENING IMPROVEMENTS AT SOUTH SHADES CREST

Contractor: _____

Item	Description	Units	Est. Quantity	Unit Price	Extended
201A-002	Clearing and Grubbing (Max Allowable Bid \$4,000.00 Per Acre) (Approximately 1 Acres)	LS	1		
206C-002	Removing Concrete Slope Paving	SY	41		
206D-000	Removing Pipe	LF	48		
206D-003	Removing Curb and Gutter	LF	36		
206E-000	Removing Headwalls	EACH	2		
210A-000	Unclassified Excavation	CY	1,498		
210D-011	Borrow Excavation (A4 or Better)	CY	1,253		
405A-000	Tack Coat	GAL	2,028		
408B-052	Planing Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	SY	4,396		
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	TON	435		
424B-651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	TON	113		
424B-681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	TON	236		
424C-360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	TON	148		
535B-093	36" Span, 23" Rise Side Drain Pipe (Class 3 R.C.)	LF	73		
600A-000	Mobilization	LS	1		
614A-000	Slope Paving	CY	7		
619B-143	36" Span, 23" Rise Side Drain Pipe End Treatment, Class 2	EACH	2		
623C-003	Combination Curb and Gutter, Type C (Modified)	LF	30		
650A-000	Topsoil	CY	278		
652A-100	Seeding	ACRE	1		
656A-010	Mulching	ACRE	1		
665A-000	Temporary Seeding	ACRE	1		
665B-001	Temporary Mulching	TON	3		
665J-002	Silt Fence	LF	843		
665O-001	Silt Fence Removal	LF	843		
665Q-002	Wattle	LF	40		
680A-001	Geometric Controls	LS	1		
701A-227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	MILE	1		
701A-230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	MILE	1		
701B-207	Dotted, Class 2 Type A Traffic Stripe (5" Wide)	LF	173		
701C-003	Solid Temporary Traffic Stripe (Paint)	MILE	3		
701F-001	Dotted Temporary Traffic Stripe (Paint)	LF	334		
701G-240	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	LF	705		
703A-002	Traffic Control Markings, Class 2, Type A	SF	389		
703B-002	Traffic Control Legends, Class 2, Type A	SF	44		
703D-002	Temporary Traffic Control Markings (Paint)	SF	87		
705A-011	Pavement Markers, Class C, Type 1-A	EACH	41		
705A-023	Pavement Markers, Class C, Type 2-D	EACH	81		
705A-030	Pavement Markers, Class A-H, Type 2-C	EACH	18		
705A-032	Pavement Markers, Class A-H, Type 1-B	EACH	66		
705A-037	Pavement Markers, Class A-H, Type 2-D	EACH	21		
705A-038	Pavement Markers, Class A-H, Type 2-E	EACH	28		

Item	Description	Units	Est. Quantity	Unit Price	Extended
710A-163	Class 10, Aluminum Flat Sign Panel 0.08" Thick (Type XI Background)	SF	12		
710B-021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2", 14 GA Square Tubular Steel)	LF	28		
710C-000	Removal of Existing Roadway Signs	LS	1		
740B-000	Construction Signs	SF	414		
740D-000	Channelizing Drums	EACH	50		
740E-000	Cones (36 Inches High)	EACH	50		
740F-002	Barricades, Type III	EACH	2		

TOTAL: _____