



Doors and Door Hardware

ADDENDUM NO. 1

Date: September 1, 2021

RE: Doors and Door Hardware Bid

BID DATE AND TIME:
Thursday, September 2, 2:00 p.m.

Location for the bid opening remains the Shelby County Manager's Office, located at 200 College Street Room 123, Columbiana, Alabama, 35051

See Attached Revised Invitation to Bid

Due to quantities not being known to determine the purchase price, no bid bond is required.



August 20, 2021

**STATE OF ALABAMA
COUNTY OF SHELBY**

**SEALED BIDS for Doors and Door Hardware
Shelby County Commission**

Sealed bids for **Doors and Door Hardware** for use in Shelby County Commission will be received in the office of the County Manager, Shelby County Administration Building, 200 West College Street in Columbiana, Room 123, Alabama 35051, until **2:00 p.m. on September 2, 2021**, at which time bids will be publicly opened and read. The County Commission reserves the right to reject any or all bids and to waive informalities in awarding this bid to the lowest responsive bidder. Bidders are to state that bids submitted are firm and that no claims for errors will be made after bids are opened and subsequent thereof. Any entity of Shelby County Commission may purchase from this bid.

If you have any questions concerning this bid, please contact Ben Davis at 205/417-5378.

GENERAL INFORMATION

All bidders must use our form for submitting their bids. All bids must be sealed and marked in the lower left hand corner "**BID – Doors and Door Hardware**" with opening date and time. Late bids will not be opened. Bids will not include State Sales Tax or Federal Excise Tax.

All bidders must provide pricing for at least 80% of items listed on bid.

Records showing successful bidder(s) and prices quoted will be placed on file and may be examined upon request. If contract is awarded to someone other than lowest bidder, a note of explanation will appear in the bid file and Commission Minutes.

Use of trade names and numbers shall be interpreted as establishing a standard of quality and shall not be construed as limiting competition.

INSURANCE AND LICENSING REQUIREMENTS

This contract shall not be executed by the County Manager until the successful contractor has supplied the following information in a timely manner, as outlined in the attached contract specifications:

- A. Section 84 State/County privilege license and all other required license(s).
- B. Proof of Insurance containing additional coverage for the Shelby County Commission, its successors, or assigns.

Doors and Frames

Metal Doors

3' x 7' Hollow Metal Door 18ga Non Handed Not Rated
3' x 6'8" Hollow Metal Door 18ga Non Handed Not Rated
3' x 7' Hollow Metal Door Undersized for Cont. Hinge Not Rated
3' x 7' Hollow Metal Door 18ga Non Handed 20min Fire Label
3' x 7' Hollow Metal Door 18ga Non Handed 45min Fire Label
3' x 6'8" Hollow Metal Door 18ga Non Handed 20 min Fire Label
3' x 6'8" Hollow Metal Door 18ga Non Handed 45min Fire Label
3'6" x 7'0" Hollow Metal Door
3' x 7' Hollow Metal Frame 16ga Right Hand Not Rated
3' x 7' Hollow Metal Frame 16ga Left Hand Not Rated
3' x 6'8" Hollow Metal Frame 16ga Right Hand Not Rated
3' x 6'8" Hollow Metal Frame 16ga Left Hand Not Rated
3' x 7' Hollow Metal Frame 16ga Right Hand 20min Fire Label
3' x 7' Hollow Metal Frame 16ga Left Hand 20min Fire Label
3' x 7' Hollow Metal Frame 16ga Right Hand 45min Fire Label
3' x 7' Hollow Metal Frame 16ga Left Hand 45min Fire Label
3' x 6'8" Hollow Metal Frame 16ga Right Hand 20min Fire Label
3' x 6'8" Hollow Metal Frame 16ga Left Hand 20min Fire Label
3' x 6'8" Hollow Metal Frame 16ga Right Hand 45min Fire Label
3' x 6'8" Hollow Metal Frame 16ga Left Hand 45min Fire Label
555-12" 26D Metal Door

Wood Doors

3' x 7' Solid Core Wood Door Non Rated
3' x 6'8" Solid Core Wood Door Non Rated
3' x 7' Solid Core Wood Door 20min Fire Label
3' x 7' Solid Core Wood Door 45min Fire Label
3' x 6'8" Solid Core Wood Door 20min Fire Label
3' x 6'8" Solid Core Wood Door 45min Fire Label
3' x 6'8" Solid Wood Dutch Door (No Glass Kit/Glass) 20min Fire Label
NSWDPURCH Prefinished PS White Maple Wood Door Wd Dr

Glass/Glass Kits

LT-B1 3x33 Glass Kit
LT-B1 22x30 Glass Kit
4" x 34" Tempered Glass
23" x 31" Tempered Glass
Labor to install Glass Kit/Glass in new Door
Labor to install Glass Kit/Glass in existing Door

Door Hardware

ND53J RHO 626 Schlage Entry Lock Less Cylinder
ND40S RHO 626 Schlage Privacy
ND10S RHO 626 Schlage Passage
ND80JD RHO 626 Schlage Storeroom Lock Less Cylinder
ND70JD 613 Schlage Storeroom Lock
23-030 006D 135 Core Cylinder
81-0723 Thru Bolt
01-1495 Screws, IS Plate Cover Spindle
82-3082 Lock
82-0368 Lock
STRW 6 409-10B Concave Wall
STRW 9 441-10B Low Dome Floor
NSCY 23-030x613D 135 Schlage Everest IC Core 0 Bit Cylinder
NSCY50-123 Schlage Everest Bitting List Cylinder
NSCY 30-137-625 LFIC Housing Cylinder
CYKBSC S26206 9 26D 3B Housing for Schlage LFIC
NSLO ND70JD RHO 613 Schlage Office Lock
NSLO 14-2 CW 613 Schlage Door Saver

NSCY 20 740x626 IC Primus
NSCY 20-030 626 Cylinder
NSED 996Lx06 32D LHR Exit Device Trim
NSCY ICS-26D-AR LFIC Mortise Cylinder
DLSC 7A B662Jx626 Double Cylinder for LFIC
HIMP 5MP79 4.5x4.5 26D Hinge
NSLO L9050L 03A 630 Schlage Mortise Lock Less Cylinder
CFM83HD1 TKS 1234UCZ21 Full Mortise AL 7'0" DR
EN1431UOxTB Alum TRI Pack-Heavy Arm Door Closer
STRW 4 409-32D Wall Stop Concave
NSED QEL 3347 A-L (360L trim) 3' 613 (for up to 9' Door) Exit Device
BYS PS902x2RS Power Supply
NSED 3347 A-L (360L trim) 3' 613 (for up to 9' Door) Exit Device
8888F-32D Sargent Exit Device
56-8888F-32D Sargent Electrified Exit Device
713-8 ETL 626 Sargent Exit Trim
1800-3'x689 Silver Yale Exit Device
217F-689 Silver Butterfly Pull Trim for 1800 Series Exit Device
CFM83HD1 Alum Continuous Hinge Full Mortise
QDC111689 S/TA Stanley Door Closer Cast Iron Body
SC61RwPAx695 Falcon Tri Pac Door Closer
484 26D Sargent Deadlock for Standard Cores
B660J 626 Schlage Deadlock w/Thumbturn for IC Cores
B660P 626 Schalge Deadlock w/ Thumbturn for Standard Cores
D135 Core Cylinder Schlage Primus
LV-IY 24 x 24 Louver – Dark Bronze
L-VRSG-3 24" x 24" Vandal Louver
SC71RwPA-ALUM Door Closer
315CN Alum Sweep
487 26D Classroom Deadbolt (standard core)
70C 4X16 32D Push Plate
107x70C 4x16 32D Pull Plate
Threshold – 3 ft. Smooth
Threshold – 4 ft. Smooth
Threshold – 6 ft. Smooth
Threshold – 8 ft. Smooth
Threshold – 3 ft. with stop
Threshold – 4 ft. with stop
Threshold – 6 ft. with stop
Threshold – 8 ft. with stop
Overhead Door Stop

All bidders must provide pricing for at least 80% of items listed on bid.

Frames shall be hollow metal, knock down frames. All frames shall fit 4.5 inch wall thickness.
This bid is for materials only. **Quantities will vary.**

Installation will be by County. Do not include installation in your bid.

Prices shall be valid for a period of 180 days.

Delivery to Columbiana, Alabama shall be included as a part of this bid.

DISQUALIFICATION OF BIDS

Bids may be disqualified before awarding of the contract for any of the following:

- A. Failure to mark envelope as required;
- B. Failure to sign or notarize the bid document;
- C. Failure to include requested information or other details of the bid, or
- D. Failure to include bid bond if required. (Note: no bid bond is required for this bid.)**

METHOD OF AWARD

The award will be made to the lowest responsive bidder meeting specifications. It is not the policy of the Shelby County Commission to purchase on the basis of low bid only. Quality, conformity with specifications, purpose for which required, terms of delivery, and past service and experience are among the factors that may be considered in determining the responsive bidder.

The Shelby County Commission reserves the right to award separate contracts for each item, each product, or any combination of products if in the best interest of the Shelby County Commission.

No bid may be withdrawn after the scheduled closing time for the receipt of bids for a period of sixty (60) days.

IMMIGRATION LAW

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

OPEN TRADE

By signing this contract, vendor agrees that it is not currently engaged in, nor will it engage in, any boycott of a person or entity based in or doing business with a jurisdiction with which the State of Alabama can enjoy open trade.

Please provide your bid response in triplicate, one original and two copies.

Bids will not include State Sales Tax or Federal Excise Tax.

Chad Scroggins
County Manager

**BID FORM – Doors and Door Hardware
Shelby County Commission**

**Bid Date: August 19, 2021
2:00 p.m.**

<u>Doors and Frames</u>	
<u>Metal Doors</u>	
3' x 7' Hollow Metal Door 18ga Non Handed Not Rated	
3'x 6'8" Hollow Metal Door 18ga Non Handed Not Rated	
3' x 7' Hollow Metal Door Undersized for Cont. Hinge Not Rated	
3' x 7' Hollow Metal Door 18ga Non Handed 20min Fire Label	
3' x 7' Hollow Metal Door 18ga Non Handed 45min Fire Label	
3'x 6'8" Hollow Metal Door 18ga Non Handed 20 min Fire Label	
3'x 6'8" Hollow Metal Door 18ga Non Handed 45min Fire Label	
3'6" x 7'0" Hollow Metal Door	
3' x 7' Hollow Metal Frame 16ga Right Hand Not Rated	
3' x 7' Hollow Metal Frame 16ga Left Hand Not Rated	
3' x 6'8" Hollow Metal Frame 16ga Right Hand Not Rated	
3' x 6'8" Hollow Metal Frame 16ga Left Hand Not Rated	
3' x 7' Hollow Metal Frame 16ga Right Hand 20min Fire Label	
3' x 7' Hollow Metal Frame 16ga Left Hand 20min Fire Label	
3' x 7' Hollow Metal Frame 16ga Right Hand 45min Fire Label	
3' x 7' Hollow Metal Frame 16ga Left Hand 45min Fire Label	
3' x 6'8" Hollow Metal Frame 16ga Right Hand 20min Fire Label	
3' x 6'8" Hollow Metal Frame 16ga Left Hand 20min Fire Label	
3' x 6'8" Hollow Metal Frame 16ga Right Hand 45min Fire Label	
3' x 6'8" Hollow Metal Frame 16ga Left Hand 45min Fire Label	
555-12" 26D Metal Door	
<u>Wood Doors</u>	
3' x 7' Solid Core Wood Door Non Rated	
3' x 6'8" Solid Core Wood Door Non Rated	
3' x 7' Solid Core Wood Door 20min Fire Label	
3' x 7' Solid Core Wood Door 45min Fire Label	
3' x 6'8" Solid Core Wood Door 20min Fire Label	
3' x 6'8" Solid Core Wood Door 45min Fire Label	
3' x 6'8" Solid Wood Dutch Door (No Glass Kit/Glass) 20min Fire Label	
NSWDPURCH Prefinished PS White Maple Wood Door Wd Dr	
<u>Glass/Glass Kits</u>	
LT-B1 3x33 Glass Kit	
LT-B1 22x30 Glass Kit	
4" x 34" Tempered Glass	
23" x 31" Tempered Glass	

Labor to install Glass Kit/Glass in new Door	
Labor to install Glass Kit/Glass in existing Door	
<u>Door Hardware</u>	
ND53J RHO 626 Schlage Entry Lock Less Cylinder	
ND40S RHO 626 Schlage Privacy	
ND10S RHO 626 Schlage Passage	
ND80JD RHO 626 Schlage Storeroom Lock Less Cylinder	
ND70JD 613 Schlage Storeroom Lock	
23-030 006D 135 Core Cylinder	
81-0723 Thru Bolt	
01-1495 Screws, IS Plate Cover Spindle	
82-3082 Lock	
82-0368 Lock	
STRW 6 409-10B Concave Wall	
STRW 9 441-10B Low Dome Floor	
NSCY 23-030x613D 135 Schlage Everest IC Core 0 Bit Cylinder	
NSCY50-123 Schlage Everest Bitting List Cylinder	
NSCY 30-137-625 LFIC Housing Cylinder	
CYKBSC S26206 9 26D 3B Housing for Schlage LFIC	
NSLO ND70JD RHO 613 Schlage Office Lock	
NSLO 14-2 CW 613 Schlage Door Saver	
NSCY 20 740x626 IC Primus	
NSCY 20-030 626 Cylinder	
NSED 996Lx06 32D LHR Exit Device Trim	
NSCY ICS-26D-AR LFIC Mortise Cylinder	
DLSC 7A B662Jx626 Double Cylinder for LFIC	
HIMP 5MP79 4.5x4.5 26D Hinge	
NSLO L9050L 03A 630 Schlage Mortise Lock Less Cylinder	
CFM83HD1 TKS 1234UCZ21 Full Mortise AL 7'0" DR	
EN1431UOxTB Alum TRI Pack-Heavy Arm Door Closer	
STRW 4 409-32D Wall Stop Concave	
NSED QEL 3347 A-L (360L trim) 3' 613 (for up to 9' Door) Exit Device	
BYS PS902x2RS Power Supply	
NSED 3347 A-L (360L trim) 3' 613 (for up to 9' Door) Exit Device	
8888F-32D Sargent Exit Device	
56-8888F-32D Sargent Electrified Exit Device	
713-8 ETL 626 Sargent Exit Trim	
1800-3'x689 Silver Yale Exit Device	
217F-689 Silver Butterfly Pull Trim for 1800 Series Exit Device	
CFM83HD1 Alum Continuous Hinge Full Mortise	
QDC111689 S/TA Stanley Door Closer Cast Iron Body	
SC61RwPAx695 Falcon Tri Pac Door Closer	
484 26D Sargent Deadlock for Standard Cores	
B660J 626 Schlage Deadlock w/Thumbturn for IC Cores	

B660P 626 Schlage Deadlock w/ Thumbturn for Standard Cores	
D135 Core Cylinder Schlage Primus	
LV-IY 24 x 24 Louver – Dark Bronze	
L-VRSG-3 24" x 24" Vandal Louver	
SC71RwPA-ALUM Door Closer	
315CN Alum Sweep	
487 26D Classroom Deadbolt (standard core)	
70C 4X16 32D Push Plate	
107x70C 4x16 32D Pull Plate	
Threshold – 3 ft. Smooth	
Threshold – 4 ft. Smooth	
Threshold – 6 ft. Smooth	
Threshold – 8 ft. Smooth	
Threshold – 3 ft. with stop	
Threshold – 4 ft. with stop	
Threshold – 6 ft. with stop	
Threshold – 8 ft. with stop	
Overhead Door Stop	

Name of Company: _____

Signature: _____

Address: _____

Phone: (include area code) _____

Email: _____

Sworn to and subscribed before me this

The ____ day of _____, 2021.

Notary Public

My Commission Expires_____.