



STATE OF ALABAMA  
COUNTY OF SHELBY

January 7, 2022

### **SEALED BIDS FOR FIRE SERVICES EQUIPMENT**

Sealed bids for **FIRE SERVICES EQUIPMENT** will be received in the office of the County Manager, Shelby County Administration Building, 200 West College Street-Room 123, Columbiana, Alabama 35051 until 2:30 P.M., January 20, 2022, at which time bids will be opened publicly and read. The County Commission reserves the right to reject any or all bids and to waive informalities in awarding this bid to the lowest responsive bidder. Bidders are to state that bids submitted are firm and that no claims for errors will be made after bids are opened and subsequent thereof. If you have any questions concerning bid specifications, please contact Hub Harvey or Mindy Nash, Emergency Management at (205) 669-3999.

#### **GENERAL INFORMATION**

All bidders **must** use our form for submitting their bid. All bids must be sealed and marked in the lower left-hand corner "**BIDS – FIRE SERVICES EQUIPMENT**" with opening date and time. Late bids will not be opened. Bids will not include State Sales Tax or Federal Excise Tax.

Records showing successful bidder and prices quoted will be placed on file and may be examined upon request. If contract is awarded to someone other than lowest bidder, a note of explanation will appear in the bid file and Commission Minutes. Use of trade names and numbers shall be interpreted as establishing a standard of quality and shall not be construed as limiting competition.

#### **DISQUALIFICATION OF BIDS**

Bids may be disqualified before awarding of the contract for any of the following:

1. Failure to mark envelope as required.
2. Failure to sign or notarize the bid document.
3. Failure to include requested information, samples when specified or other details of the bid.

#### **METHOD OF AWARD**

The award will be made to the lowest responsible bidder meeting specifications for each item bid. It is not the policy of the Shelby County Commission to purchase on the basis of low bid only. Quality, conformity with specifications, purpose for which required, terms of delivery, and past service and experience are among the factors that may be considered in determining the responsive bidder.

The Shelby County Commission reserves the right to award separate contracts for each item, each product, or any combination of products if in the best interest of the Shelby County Commission. Upon awarding of this contract and bid the Shelby County Commission reserves the sole right to end said contract at their sole discretion.

### **CONTRACT PERIOD/PRICING**

The period of this contract will be for six (6) month from date bid is awarded. This contract may be renewed for up to three (3) six (6) month terms from the initial award date upon the agreement of both parties.

### **IMMIGRATION LAW**

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

### **OPEN TRADE**

By signing this contract, vendor agrees that it is not currently engaged in, nor will it engage in, any boycott of a person or entity based in or doing business with a jurisdiction with which the State of Alabama can enjoy open trade.

Please provide your bid response in triplicate, one original and two copies.

Bids will not include State Sales Tax or Federal Excise Tax. **Bid price submitted shall include price "DELIVERED"(including surcharges, shipping charges, etc.)**

  
Chad Scroggins  
County Manager

## **BID SPECIFICATIONS / QUOTATION SHEET FIRE SERVICES EQUIPMENT**

### **GENERAL REQUIREMENTS**

1. Please review each item carefully. Bid items/specifications have changed from previous years.
2. Items should be on a price per unit basis, unless otherwise stated.
3. Bid price to include shipping.
4. Unit(s) will be new unless specified otherwise.
5. All items within an order should be included in one shipment. (One order, one shipment).
6. Requested Samples shall be provided by the date of bid opening.
7. All items must be delivered within 30 days from date of order. Items requiring more than 30 days delivery time must have **prior** approval. If items are not received within the specified delivery time, orders will be canceled and will go to the next lowest vendor.

### **EQUIPMENT LIST:**

- 01F    6" NH MALE X FEMALE X 10 FT PVC CORRUGATED SUCTION HOSE,**  
adjustable couplings.

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 02F    5" X 100 FT THROUGH THE WEAVE NITRILE SUPPLY HOSE.** Reinforced with circular woven, twill weave of nylon and polyester. NFPA 1961 Standards and manufactured completely from plants within the United States. Service test 200 PSI, proof test 400 PSI, and burst test 600 PSI with Storz couplings. Yellow in color.

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 03F    1.75" ATTACK HOSE** with 1.5" fittings 50' long. 100% synthetic all polyester double jacket. 100% mildew resistant. Warranty of at least 10 years. NFPA 1961 Standards and manufactured completely from plants within the United States. Service test 400 PSI, proof test 800 PSI, and burst test 1200 PSI with aluminum (male x female) coupling with NST. Available colors must include white, red, yellow, blue, green, orange, black and tan. **Key Hose, Part Number DP17-TRU, no exceptions.**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 04F    2.5" ATTACK HOSE** with 2.5" fittings 50' long. 100% synthetic all polyester double jacket. 100% mildew resistant. Warranty of at least 10 years. NFPA 1961 Standards and manufactured completely from plants within the United States. Service test 400 PSI, proof test 800 PSI, and burst test 1200 PSI with aluminum (male x female) coupling

with NST. Available colors must include white, red, yellow, blue, green, orange, black and tan. **Key Hose, Part Number DP25-TRU, no exceptions.**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 05F 3" SUPPLY LINE HOSE** with 2.5" fittings 50' long. 100% synthetic all polyester double jacket. 100% mildew resistant. Warranty of at least 5 years. NFPA 1961 Standards and manufactured completely from plants within the United States. Service test 400 PSI, proof test 800 PSI, and burst test 1200 PSI with aluminum (male x female) coupling with NST. Available colors must include white, red, yellow, blue, green, orange, black and tan.

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 06F 1" FORESTRY HOSE- 1"X 50' Single Jacket, 600 Pound Test**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 07F 1" NOZZLE** with four flow settings. Selectable gallonage nozzle with four flow settings of 5, 10, 24, and 40 gpm @ 100 psi (20-40-90-150 l/min @ 7 bar). All lightweight materials, hardcoat anodized aluminum. Flush without shutting down. Quick-change rear valve seat and stainless steel shut-off ball. Pistol grip is mounted below the valve. Rocker lug 1" NH swivel is standard. **TFT Quadrafog, no substitutions.**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 08F 5 GALLON POLY BACK PACK**, padded with brush pump, (Ranger Rigid no substitutions)

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 09F 6" FEMALE NH LONG HANDLE LOW LEVEL STRAINER W/JET SIPHON**  
(*KOCHEK LL60 no substitutions*)

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 10F 5" STORZ INLET X TWO 2-1/2 MALE GATED WYE** (*KOCHEK 21K no substitutions*)

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 11F 5" STORZ INLET X TWO 5" STORZ GATED WYE** (*KOCHEK 23K0505 no substitutions*)

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 12F 5 WAY MANIFOLD 5"STORZ INLET X 5" STORZ GATED OUTLET X FOUR**  
2-1/2" NH MALE GATED OUTLET (*KOCHEK 51K0525 no substitutions*)



PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 13F 6" NH FEMALE SWIVEL INLET X 5' with STORZ OUTLET large body intake valve with adjustable relief valve with standard threads. (AKRON Revolution Style 7982. No Exceptions.)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 14F 5" X 2-1/2 NH FEMALE SWIVEL ADAPTER (KOCHEK S54R525 no substitutions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 15F 5" X 6" NH FEMALE SWIVEL ADAPTER (KOCHEK S54R56 no substitutions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 16F WATER THIEF - (Elkhart BG-104-A no gauge, no exceptions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 17F 5" CAP WITH CHAIN (KOCHEK CC507 no substitutions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 18F 2.5" HYDRANT GATE VALVE (KOCHEK 09K25225M no substitutions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 19F HYDRANT ASSIST VALVE - (Kochek 80K Hydrassist, no exceptions).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 20F 2500-GAL DUMP TANK. Steel folding frame 22 oz sides with 30oz bottom. Shall have easy lift handles to assist with draining.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 21F FOAM EDUCTOR. PYROLITE, 1-1/2" inlet X 1-1/2" outlet.95 gpm and infinitely adjustable from 0% to 6% with detents at .25%, .5%, 1%, 3%, and 6%. (AKRON AK-3095, no substitutions.)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 22F SET OF FOUR X SPANNER WRENCH AND HOLDER (KOCHEK KS34 no substitutions).

Price Each Set of 4 \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

23F 2.5 GALLON FIRE EXTINGUISHER with mounting bracket. (Amerex, no substitutions)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

24F ½" KERNAMANTLE ROPE 200' length. Must meet NFPA general use guidelines. Color to be specified at time of order. (CMC Static-Pro, no substitutions).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

25F K12 SAW (STIHL TS 420 no substitutions), with diamond blade.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

26F CHAINSAW STIHL MS 291, no substitutions.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

27F CHAINSAW STIHL Battery Powered, no substitutions.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

28F ROPE BAG backpack style. Reach in bottom. Clear view sleeve for rope ID. Side carry handles for easy loading/unloading. Exterior gear loops for attaching carabineers. Constructed from extra-long life, Cordura nylon. Must hold 200' of rope. Colors: Red, Yellow, Orange, Blue. (CMC Model #2).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

29F STAINLESS STEEL LOCKING CARABINER-NFPA general use. (CMC 300010).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

30F MPD 13 mm Device

The MPD includes a protective nylon storage bag, and user's manual. 13 mm version designed for use with 12.5-13 mm rope. CMC not substitute.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

31F 6' POUND FLAT HEAD AXE (FAY-6-Leatherhead Tools, Yellow).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

32F 6 POUND PICK HEAD AXE (PAY-6-Leatherhead Tools , Yellow)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**33F 3 FOOT DRYWALL HOOK WITH BUTT HANDLE (PLY-3DH-B Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**34F 3 FOOT DRYWALL HOOK WITH D HANDLE (PLY-3DH-D-Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**35F FIREHOOKS UNLIMITED 6' NEW YORK HOOK (RH6)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**36F 36" HALLIGAN TOOL (Leatherhead Tools LB-36, no substitutions) Must provide sample.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**37F FIREHOOKS UNLIMITED PROBAR HALLIGAN TOOL (PB-30)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**38F 8 POUND SLEDGEHAMMER (SLY-8-36-Leatherhead Tools , Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**39F 10 POUND SLEDGEHAMMER (SLY-10-36- Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**40F 4 FOOT PIKE POLE WITH D HANDLE (PLY-4AH-D-Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**41F 4 FOOT DRYWALL HOOK WITH BUTT HANDLE (PLY-4DH-B-Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**42F 6 FOOT PIKE POLE WITH BUTT HANDLE (PLY-6AH-B-Leatherhead Tools, Yellow)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

**43F STECK BIG EASY LOCK OUT TOOL (Steck-32955)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

44F     **STECK BIG EASY LOCK OUT TOOL CASE (Steck 32955DLX)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

45F     **FIREMAN'S ROPE HOSE TOOL** – rope length 9 feet. Light weight, strong nylon. Steel hook attached around the hand spliced area of the tool.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

46F     **QUICK DEPLOY SPRING TRAFFIC CONE, 5 CONE BAG - 5 each 28" reflective**  
Spring Cones in a durable zipper bag. Only weights 27 lbs and stores in a space  
14"x14"x14". MUTCD compliant for use day or night.

PRICE EACH SET OF 5 CONES \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

47F     **4 Gas Monitor-** Multi-Gas Detector, 4 gas monitor, (*Industrial Scientific MX4, no substitutions*)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

48F     **DOOR BAR** – Supevac 26” – 60” range. 13 lbs. **No substitution.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

49F     **W-TOOL-QC** – Quick change head assembly. Solid steel. Can be used as a battering ram. Flat breaching head included. Shoulder carry strap. (**W-Tool-QC, no substitutions**).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

50F     **E-SPOTLIGHT LITEBOX PORTABLE HANDLIGHT** Vehicle mountable, rechargeable spotlight. Device supplied with 120V AC/12V DC Charger. Orange in color. (**Streamlight E-Spot Litebox Part 45855, no substitutions**).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

51F     **E-FLOOD LITEBOX HL RECHARGEABLE LANTERN-** Vehicle mountable, rechargeable flood light. Waterproof. 8 programmable functions. Two lightweight lithium ion nanotechnology cells. Device to be supplied with 120V AC/12V DC Charger. Orange in color. (*Streamlight E-Flood Part 45805, no substitutions*)

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

52F     **LITEBOX HI/LOW POWER PORTABLE LED HANDLIGHT-**Vehicle mountable rechargeable light. Device to be supplied with 120VAC/12V DC charger. (*Streamlight Fire Vulcan Part Number 44315, no substitutions*).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_



- 53F SURVIVOR PORTABLE LED HANDLIGHT-** Personal 15,000 CP rechargeable flashlight with LED, O-ring sealed water-resistance and explosion protection. Device to be supplied with Ni-Cad battery, standard 10 hour 120V AC/12V DC charger. Orange in color. *(Streamlight Survivor Light, no substitutions).*

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 54F PORTABLE SCENE LIGHT RECHARGEABLE LANTERN-**Six **C4® LED** and wide reflectors produce a uniform flood pattern. Three user-selectable outputs: High, Medium, and Low. Selectable diffuser settings for two beam widths. Optimum peripheral illumination for scene lighting; 90° swivel neck allows you to aim the beam where you need it for task lighting. *(Streamlight Portable Scene Light Rechargeable Lantern Part Number 45670, no substitutions)*

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 55F WHELEN PIONEER LIFE LF35 LIGHT**

Easy wireless charging. 7.5 pounds. Includes two optic lenses: flood lights lens and 8° TIR spotlight. 3,500 usable lumens. Impact resistant. **No substitutions.**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 56F RECHARGABLE, PISTOL GRIP WAYPOINT 300 RECHARGABLE SPOTLIGHT**

1,000 lumen spotlight for long range targeting. Portability and long runtime (3+ days on low mode). Waterproof to 2 meters. 1 meter impact resistance tested. Lithium ion battery. 1 pound, 8.3 ounces. Yellow in color. **No substitutions.**

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 57F LIME GREEN PUBLIC SAFETY VEST** - designed for public safety workers. Meets ANSI #207 2006 standard. High cut sides allow you access to your duty belt and pockets. Velcro closure on sides, shoulders and front provide a five point breakaway safety design. The tear away style can help you if you are snagged by a moving object or involved in a struggle. 100% lime green, polyester micromesh fabric with matching trim. 2" 3M scotchlite reflective trim. Machine washable, hang dry. wt. 6 oz. Size Medium-2XL.

**PRICE EACH** \_\_\_\_\_ **ITEM NUMBER** \_\_\_\_\_

- 58F STRUCTURAL FIRE HELMET** Must meet or exceed NFPA 1971. Flared, rear-brim with a length of 15 5/8", width of 12 1/4", height of 7". Shell traditional style with four primary and four secondary ribs bisecting the dome. A stamped, embossed, brass sheet front shall be provided in the form of an eagle. Ratchet headband. Chin strap, Brow Pad, Ear/Neck Protector, Face shield, Retro-reflective trim. 5 year warranty from date of manufacture as defined in NFPA 1851. **(BULLARD USTM-6) (No substitutions)**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 59F **FLIR K2-SERIES** Maintenance free, uncooled IR sensor, images at 320 x 240 pixels, 4" LCD. Rugged, NFPA 1801 2013 standards. Produce reports. Large buttons. Must come with truck mount charger.

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 60F **BATFAN** Portable battery mounted fan. Made by Leader. 45 minute runtime at full speed. Total weight of 61.7 lbs. Open air flow on battery. Totally self-contained. Dual power source. 600W with variable speed drive. (**Leader BATFAN 45, no substitutions**).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 61F **BACKPACK BLOWER** – 2 position adjustable blower tube, quiet 65dB, 2.0 kW engine power, 22.3 lbs, gas powered. **Stihl BR 500 no substitutions.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 62F **1.5" FOG/STRAIGHT STREAM NOZZLE (Selective GPM)** with shut-off, g.p.m. selective and pistol grip (**Elkhart Phantom, Akron Turbojet, or TFT Dual Force only**). **Must provide sample.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 63F **1.75" FOG/STRAIGHT STREAM NOZZLE (Selective GPM)** with shut-off, g.p.m. selective and pistol grip (**Elkhart Phantom, Akron Turbojet, or TFT Dual Force only**). **Must provide sample.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 64F **2.5" FOG/STRAIGHT STREAM NOZZLE (Selective GPM)** with shut-off, fixed g.p.m. and pistol grip (**Elkhart Phantom, Akron Turbojet, or TFT Dual Force only**). **Must provide sample.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 65F **RAPID ATTACK NOZZLE** - (**Elkhart Ram XD #8296, with Ram Nozzle #3895, Mounting Bracket 8296- MB, Deluge tip 181-a, no substitutions.**).

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 66F **4 1/2" NH RIGID ROCKER LUG FEMALE x 5" NH Male, no substitutions.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 67F **NOZZLE SHUT OFF WITH SMOOTH BORE TIP** consisting of shutoff with no integrated smooth bore, no pistol grip, 1 3/8" waterway, 1.5" FNH inlet thread, 1.5" MNH outlet thread, black in color. Smooth bore tip with long barrel, 1.5" FNH inlet thread, 7/8" outlet size, black in color. **Elkhart Brass Part Number 0033XD02 with Elkhart Brass Part Number 66762007, no exceptions.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 68F **LOW PRESSURE FOG NOZZLE TIP FOR SHUT OFF** 1.5" FNH inlet thread, 50 PSI operating pressure, fixed 160 GPM, fixed teeth, black in color, designed for use with the Elkhart Brass 0033XD02 shutoff. **Elkhart Brass Part Number 04XD017F-0101050B, no exceptions.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_

- 69F **2.5" TO 1.5" SWIVEL REDUCER** consisting of 2.5" NHT female inlet, 1.5" NHT male outlet, bell style. **Elkhart Brass Part Number 01020007, no exceptions.**

PRICE EACH \_\_\_\_\_ ITEM NUMBER \_\_\_\_\_



**QUOTATION SHEET  
FIRE SERVICES EQUIPMENT (DELIVERED)**

01	F	6" NH Male x Female X 10 Ft Pvc Corr. Suction Hose	\$
02	F	5" X 100 Ft Through The Weave Nitrile Supply Hose	\$
03	F	1.75" attack hose	\$
04	F	2.5" attack hose	\$
05	F	3" supply line hose	\$
06	F	1" x 50' Forestry hose, single jacket	\$
07	F	1" nozzle	\$
08	F	5 gallon poly back pack	\$
09	F	6" Female NH Long handle low level strainer w/jet siphon	\$
10	F	5" STORZ inlet x two 2-1/2 male gated wye	\$
11	F	5" STORZ inlet x two 5" storz gated wye	\$
12	F	5 way manifold 5" storz inlet x 5" storz gated outlet x four 2-1/2"	\$
13	F	6" NH Female Swivel Inlet X 5' with Storz Outlet	\$
14	F	5" x 2-1/2 nh female swivel adapter	\$
15	F	5" X 6" NH female swivel adapter	\$
16	F	Water thief	\$
17	F	5" Cap With Chain	\$
18	F	2.5" hydrant gate valve	\$
19	F	Hydrant Assist Valve	\$
20	F	2500 gal dump tank	\$
21	F	Foam eductor. pyrolite 95 gpm	\$
22	F	Set Of Four X Spanner Wrench And Holder	\$
23	F	2.5 gallon fire extinguisher	\$
24	F	1/2" Kernamantle rope	\$
25	F	K-12 Saw	\$
26	F	Chain saw	\$
27	F	Chain saw battery powered	\$
28	F	Rope Bag	\$
29	F	Stainless Steel Locking Carabineer	\$
30	F	MPD 13 mm device	\$
31	F	6 Pound Flat Head Axe	\$
32	F	6 Pound Pick Head Axe	\$
33	F	3' Drywall Hook with Butt Handle (Yellow)	\$
34	F	3" Drywall Hook with D handle (Yellow)	\$
35	F	Firehooks Unlimited 6' New York Hook	\$
36	F	36" Halligan Tool	\$
37	F	Firehooks Unlimited Probar Halligan Tool	\$
38	F	8 pound sledgehammer (Yellow)	\$



**QUOTATION SHEET**  
**FIRE SERVICES EQUIPMENT (DELIVERED)**

39	F	10 pound sledgehammer (Yellow)	\$
40	F	4' pike pole with D handle (Yellow)	\$
41	F	4' drywall hook with butt handle (Yellow)	\$
42	F	6' pike pole with butt handle (Yellow)	\$
43	F	Steck Big easy lock out tool	\$
44	F	Steck Big easy lock out tool case	\$
45	F	Fireman's rope hose tool	\$
46	F	Quick deploy spring traffic cone, 5 cone bag	\$
47	F	4 Gas Monitor	\$
48	F	Door bar	\$
49	F	W-tool-qc	\$
50	F	E-Spotlight Litebox Portable Handlight	\$
51	F	E-flood Litebox HL Rechargeable Lantern	\$
52	F	Litebox hi/low power portable led handlight	\$
53	F	Survivor portable led handlight	\$
54	F	Portable scene light rechargeable lantern	\$
55	F	Whelen Pioneer Life LF35 Light	\$
56	F	Rechargeable, pistol grip waypoint 300 rechargeable spotlight	\$
57	F	Lime Green Safety Vests	\$
58	F	Structural Fire Helmet	\$
59	F	FLIR K2 Series	\$
60	F	Bat Fan	\$
61	F	Back pack blower	\$
62	F	1.5" fog/straight stream nozzle (Selective GPM), Sample required	\$
63	F	1.75" fog/straight stream nozzle (Selective GPM), Sample required	\$
64	F	2.5" fog/straight stream nozzle (Selective GPM), Sample required	\$
65	F	Rapid Attack Nozzle	\$
66	F	4 1/2" NH Rigid Rocker Lug Female x 5" NH Male	\$
67	F	Nozzle shut off with smooth bore tip	\$
68	F	Low pressure fog nozzle tip for shut off	\$
69	F	2.5" to 1.5" swivel reducer	\$

THE UNDERSIGNED OFFERS THESE PRICES, TERMS, AND DELIVERY AS PER BID SPECIFICATIONS:

NAME OF COMPANY: \_\_\_\_\_

BY (Please Print): \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

\_\_\_\_\_

PHONE: \_\_\_\_\_

**BIDS SUBMITTED ARE FIRM AND NO CLAIMS FOR ERRORS WILL BE  
MADE AFTER BIDS ARE OPENED AND SUBSEQUENT THEREOF.**

Sworn to and subscribed before me this

the \_\_\_\_\_ day of \_\_\_\_\_, 2022.

\_\_\_\_\_  
Notary Public

My Commission Expires: \_\_\_\_\_